Product datasheet

Specifications



Acti9 Isobar B - extension box - with door & cutout for 17 x 18 mm pole

Local distributor code:

396793568 SEA9BNEX034N

EAN Code: 5018934963112

Main

Range	Acti9
Product name	Acti9 Isobar B
Product or component type	Extension box
Device application	Distribution
Provided equipment	enclosure 1 DIN rail door Slotted front cover
Number of 18 mm modules per row	17

Complementary

Number of horizontal rows	1
Height	External: 270 mm
Width	External: 470 mm
Depth	External : 140 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15 cm
Package 1 Width	34 cm
Package 1 Length	51 cm
Package 1 Weight	5.54 kg
Unit Type of Package 2	P12
Number of Units in Package 2	35
Package 2 Height	90 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	213.904 kg

Logistical informations

Country of origin	GB

Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**163 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**27 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.7 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**134 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0.5 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
Halogen-free status	**Halogen free product**
PVC free	**No**
Silicone-free	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**88**
End of life manual availability	**No need of specific recycling operations**
Take-back	**No**